



Walletz ®

US PRODUCT CATALOGUE



800-603-9855

www.healthtechintlinc.com

info@healthtechintlinc.com



ABOUT US

The world's largest OEM Brand

We are one of the leading public health emergency management solutions companies in the world, manufacturing our own proprietary flagship 'Medical Protection products for users across the globe.

VARIETY OF GLOVES



NITRILE GLOVES

- Powder free
- Not made with natural rubber latex
- Fingertip textured
- Lab chemical tested
- Ambidextrous
- Blue, Black and Cornflower Colour



SURGICAL GLOVES

- Anatomical In Shape
- Hand Specific
- Smooth
- Beaded Cuff
- Polymer Coating



LATEX GLOVES

- Smooth
- Powdered & Powder Free
- Made with natural rubber latex
- Beaded Cuff
- Natural Color
- Ambidextrous



STERILE GLOVES

- Curved finger
- Palm textured
- Powdered
- Made with Natural High Grade Rubber Latex
- Beaded Cuff
- Hand specific



VINYL GLOVES

- Smooth
- Powder Free
- Made with Polyvinyl Chloride Paste Resin
- Standard Cuff
- Clear Color
- Ambidextrous



CAST POLYETHYLENE (CPE) GLOVES

- Embossed Inside
- Powder Free
- Made with Polyethylene Paste Resin
- Standard Cuff
- Clear & Blue Color
- Ambidextrous



THERMOPLASTIC ELASTOMER (TPE) GLOVES

- Embossed Outside
- Powder Free
- Made with Polyethylene Paste Resin
- Standard Cuff
- Clear & Blue Color
- Ambidextrous




EMERALD US

EMERALD EU



EMERALD PRIME

AMETHYST



AMETHYST PRIME

AMETHYST LITE





SAPPHIRE US

SAPPHIRE EU



ONYX

ONYX PRIME



W-NAVI

IOLITE





APATITE

TANZANITE



OPAL




PEARL



CANISTEL




FEIJOA





SANTOL

IXIA



ZIRCON

BLUEBELL



LILAC

ASTER





DAFFODIL

ACACIA




SORREL

BEGONIA



LATEX DENTAL DAM



NON-LATEX DENTAL DAM

VEGA



TOP RAPID COVID-19

OXYGEN CONCENTRATOR



EMERALD US

NITRILE EXAMINATION GLOVES,
POWDER FREE, BEADED CUFF

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gram) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



REORDER CODE:- NBR PF USAW35 BB

- WZPNUS0S82064 (SIZE S)
- WZPNUS0M82026 (SIZE M)
- WZPNUS0L82033 (SIZE L)
- WZPNUSXL82057 (SIZE XL)

FEATURES

- Fingertip textured
- Powder free
- Not made with natural rubber latex
- Lab chemical tested
- Ambidextrous
- Blue colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

FDA 510(k), MDR (EU) 2017/745

STANDARDS

ASTM D6319, ASTM D412, ASTM D573,
ASTM D5151, ASTM D6124,
EN455

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Emerald

Length (mm)		
	≥240	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.07 ± 0.02	
Finger	0.09 ± 0.02	
Physical Properties	Before Aging	After Aging
Tensile Strength (MPa)	≥14	≥14
Elongation (%)	≥500	≥400
Inspection Levels & AQL	Inspection Level	AQL
Watertightness	G1	1.5
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0
Particulate Residue	N = 5	≤2mg/glove



800-603-9855

info@healthtechintlinc.com

EMERALD EU

NITRILE EXAMINATION GLOVES,
POWDER FREE, BEADED CUFF

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gm) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



Walletz4u® Emerald

REORDER CODE:-

NBR PF USAW35 BB

- WZPNUSOS82064 (SIZE S)
- WZPNUSOM82026 (SIZE M)
- WZPNUSOL82033 (SIZE L)
- WZPNUSXL82057 (SIZE XL)

FEATURES

- Fingertip textured
- Powder free
- Not made with natural rubber latex
- Lab chemical tested
- Ambidextrous
- Blue colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

FDA 510(k), MDR (EU) 2017/745

STANDARDS

ASTM D6319, ASTM D412, ASTM D573,
ASTM D5151, ASTM D6124,
EN455

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Length (mm)

≥ 240

Thickness Measurements (mm)

Palm (centre of Palm)

0.07 ± 0.02

Finger

0.09 ± 0.02

Physical Properties

Before Aging

After Aging

Tensile Strength (MPa)

≥ 14

≥ 14

Elongation (%)

≥ 500

≥ 400

Inspection Levels & AQL

Inspection Level

AQL

Watertightness

G1

1.5

Physical Dimensions

S2

4.0

Physical Properties

S2

4.0

Visual Inspection (Major)

G1

2.5

Visual Inspection (Minor)

G1

4.0

Particulate Residue

N = 5

≤ 2mg/glove



800-603-9855

info@healthtechintlinc.com

EMERALD PRIME

NITRILE EXAMINATION GLOVES,
POWDER FREE, BEADED CUFF

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gram) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



REORDER CODE:-

NBR PF USAW35 BB

- WZPNUS0S82064 (SIZE S)
- WZPNUS0M82026 (SIZE M)
- WZPNUS0L82033 (SIZE L)
- WZPNUSXL82057 (SIZE XL)

FEATURES

- Fingertip textured
- Powder free
- Not made with natural rubber latex
- Lab Chemical tested
- Chemo Drugs tested
- Ambidextrous
- Blue colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

FDA 510(k), MDR (EU) 2017/745,
ASTM D6978-05

STANDARDS

ASTM D6319
ASTM D5151, ASTM D6124,
EN455

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Emerald Prime

Length (mm)			
		≥230	
Thickness Measurements (mm)			
Palm (centre of Palm)		0.07 ± 0.02	
Finger		0.09 ± 0.02	
Physical Properties		Before Aging	After Aging
Tensile Strength (MPa)		≥16	≥18
Elongation (%)		≥500	≥400
Inspection Levels & AQL		Inspection Level	AQL
Watertightness		G1	1.5
Physical Dimensions		S2	4.0
Physical Properties		S2	4.0
Visual Inspection (Major)		S4	2.5
Visual Inspection (Minor)		S4	4.0
Particulate Residue		N = 5	≥2mg/glove

Chemotherapy Drugs and Concentration (Tested for Resistance to Permeation by Chemotherapy Drugs as per ASTM D6978-05)	Minimum Breakthrough Detection Time (minutes)
Carmustine (BCNU), 3.3mg/ml (3,300 ppm)	Not recommended
Cisplatin, 1.0mg/ml (1,000 ppm)	>240 minutes
Cyclophosphamide (Cytosan), 20.0mg/ml (20,000 ppm)	>240 minutes
Dacarbazine (DTIC), 10.0mg/ml (10,000 ppm)	>240 minutes
Doxorubicin Hydrochloride, 2.0mg/ml (2,000 ppm)	>240 minutes
Etoposide (Toposar), 20.0mg/ml (20,000 ppm)	>240 minutes
Fluorouracil, 50.0mg/ml (50,000 ppm)	>240 minutes
Methotrexate, 25.0mg/ml (25,000 ppm)	>240 minutes
Mitomycin C, 0.5mg/ml (500 ppm)	>240 minutes
Paclitaxel (Taxol), 6.0mg/ml (6,000 ppm)	>240 minutes
Thiotepa, 10.0mg/ml (10,000 ppm)	Not recommended
Vincristine Sulfate, 1.0mg/ml (1,000 ppm)	>240 minutes

WARNING: Gloves used for protection against chemotherapy drug exposure should be selected specifically for the type of chemicals being used. Due to the variety and concentration of chemotherapy drugs used in treatments, the resistance table shown does neither warrant nor imply the safe use of the gloves against chemotherapy drugs resistance in every case. The safe use of gloves in chemotherapy treatment is solely the decision of clinicians authorised to make such decision.



800-603-9855

info@healthtechintlinc.com

AMETHYST

NITRILE EXAMINATION GLOVES,
POWDER FREE, BEADED CUFF

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gram) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



REORDER CODE:- NBR PF USAW35 CB

- WZNCUS0S82149 (SIZE S)
- WZNCUS0M82156 (SIZE M)
- WZNCUS0L82163 (SIZE L)
- WZNCUSXL82170 (SIZE XL)

FEATURES

- Fingertip textured
- Powder free
- Not made with natural rubber latex
- Lab chemical tested
- Chemo drugs tested
- Ambidextrous
- Cornflower Blue colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

FDA 510(k), MDR (EU) 2017/745,
ASTM D6978-05

STANDARDS

ASTM D6319
ASTM D5151, ASTM D6124,
EN455

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Amethyst

Length (mm)	≥230	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.07 ± 0.02	
Finger	0.09 ± 0.02	
Physical Properties	Before Aging	After Aging
Tensile Strength (MPa)	≥16	≥18
Elongation (%)	≥500	≥400
Inspection Levels & AQL	Inspection Level	AQL
Watertightness	G1	1.5
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	S4	2.5
Visual Inspection (Minor)	S4	4.0
Particulate Residue	N = 5	≥2mg/glove

Chemotherapy Drugs and Concentration (Tested for Resistance to Permeation by Chemotherapy Drugs as per ASTM D6978-05)	Minimum Breakthrough Detection Time (minutes)
Amethopterin Hydrate, 25.0 mg/ml (25,000ppm)	>240 minutes
Carmustine (BCNU), 3.3mg/ml (3,300 ppm)	10.1, Not recommended (10.2,10.1,10.2)
Cisplatin, 1.0mg/ml (1,000 ppm)	>240 minutes
Cyclophosphamide (Cytosan), 20.0mg/ml (20,000 ppm)	>240 minutes
Cytarabine, 100mg/ml (100,000ppm)	>240 minutes
Dacarbazine (DTIC), 10.0mg/ml (10,000 ppm)	>240 minutes
Doxorubicin Hydrochloride, 2.0mg/ml (2,000 ppm)	>240 minutes
Etoposide (Toposar), 20.00mg/ml (20,000 ppm)	>240 minutes
Fluorouracil, 50.0mg/ml (50,000 ppm)	>240 minutes
Ifosfamide, 50.0 mg/ml (50,000ppm)	>240 minutes
Methotrexate, 25.0mg/ml (25,000 ppm)	>240 minutes
Mitomycin C, 0.5mg/ml (500 ppm)	>240 minutes
Mitoxantrone, 2.0mg/ml (2,000ppm)	>240 minutes
Paclitaxel (Taxol), 6.0mg/ml (6,000 ppm)	>240 minutes
Thiotepa, 10.0mg/ml (10,000 ppm)	30.2, Not recommended
Vincristine Sulfate, 1.0mg/ml (1,000 ppm)	>240 minutes

WARNING: Gloves used for protection against chemotherapy drug exposure should be selected specifically for the type of chemicals being used. Due to the variety and concentration of chemotherapy drugs used in treatments, the resistance table shown does neither warrant nor imply the safe use of the gloves against chemotherapy drugs resistance in every case. The safe use of gloves in chemotherapy treatment is solely the decision of clinicians authorised to make such decision.



800-603-9855

info@healthtechintlinc.com

AMETHYST PRIME

NITRILE EXAMINATION GLOVES,
POWDER FREE, BEADED CUFF

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gram) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



REORDER CODE:-

NBR PF USAW35 CB

- WZPMUS0S59283 (SIZE S)
- WZPMUS0M59290 (SIZE M)
- WZPMUS0L59306 (SIZE L)
- WZPMUSXL59313 (SIZE XL)

FEATURES

- Fingertip textured
- Powder free
- Not made with natural rubber latex
- Lab Chemical tested
- Chemo Drugs tested
- Ambidextrous
- Cornflower Blue colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

FDA 510(k), MDR (EU) 2017/745,
ASTM D6978-05

STANDARDS

ASTM D6319
ASTM D5151, ASTM D6124,
EN455

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Amethyst Prime

Length (mm)			
	≥230		
Thickness Measurements (mm)			
Palm (centre of Palm)	0.07 ± 0.02		
Finger	0.09 ± 0.02		
Physical Properties		Before Aging	After Aging
Tensile Strength (MPa)		≥16	≥18
Elongation (%)		≥500	≥400
Inspection Levels & AQL		Inspection Level	AQL
Watertightness		G1	1.5
Physical Dimensions		S2	4.0
Physical Properties		S2	4.0
Visual Inspection (Major)		S4	2.5
Visual Inspection (Minor)		S4	4.0
Particulate Residue		N = 5	≤2mg/glove



800-603-9855

info@healthtechintlinc.com

AMETHYST LITE

NITRILE EXAMINATION GLOVES,
POWDER FREE, BEADED CUFF

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gram) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



MENA
Rights
Group

REORDER CODE:-

NBR PF CW35 CB

- WZALUS0S59122 (SIZE S)
- WZALUS0M59139 (SIZE M)
- WZALUS0L59146 (SIZE L)
- WZALUSXL59153 (SIZE XL)

FEATURES

- Fingertip textured
- Powder free
- Not made with natural rubber latex
- Beaded Cuff
- Ambidextrous
- Cornflower Blue colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

MDR (EU) 2017/745,

STANDARDS

ASTM D6319
ASTM D6124

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Amethyst Lite

Length (mm)		
	≥230	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.07 ± 0.02	
Finger	0.09 ± 0.02	
Physical Properties	Before Aging	After Aging
Tensile Strength (MPa)	≥14	≥14
Elongation (%)	≥500	≥400
Inspection Levels & AQL	Inspection Level	AQL
Air Pump Test	G1	4.0
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0
Particulate Residue	N = 5	≤2mg/glove



800-603-9855

info@healthtechintlinc.com

SAPPHIRE US

NITRILE DISPOSABLE GLOVES,
POWDER FREE

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gm) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



Walletz4u® Sapphire

REORDER CODE:-

NBR PF CW35 BB

- WZNEUSOS82088 (SIZE S)
- WZNEUSOM82095 (SIZE M)
- WZNEUSOL82101 (SIZE L)
- WZNEUSXL82118 (SIZE XL)

FEATURES

- Fingertip textured
- Powder free
- Not made with natural rubber latex
- Beaded Cuff
- Ambidextrous
- Blue colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

FDA RULE 177.2600

STANDARDS

ASTM D6319
ASTM D5151, ASTM D6124,
EN455

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Sapphire		
Length (mm)	≥230	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.07 ± 0.02	
Finger	0.09 ± 0.02	
Physical Properties	Before Aging	After Aging
Tensile Strength (MPa)	≥ 14	≥ 14
Elongation (%)	≥ 500	≥ 400
Inspection Levels & AQL	Inspection Level	AQL
Air Pump Test	G1	4.0
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0
Particulate Residue	N = 5	≤2mg/glove



800-603-9855

info@healthtechintlinc.com

SAPPHIRE EU

NITRILE DISPOSABLE GLOVES,
POWDER FREE

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gm) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



MENA
Rights
Group

REORDER CODE:-

NBR PF CW35 BB

- WZNEUS0S82088 (SIZE S)
- WZNEUS0M82095 (SIZE M)
- WZNEUS0L82101 (SIZE L)
- WZNEUSXL82118 (SIZE XL)

FEATURES

- Fingertip textured
- Powder free
- Not made with natural rubber latex
- Beaded Cuff
- Ambidextrous
- Blue colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

FDA RULE 177.2600

STANDARDS

ASTM D6319
ASTM D5151, ASTM D6124,
EN455

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Sapphire

Length (mm)

≥230

Thickness Measurements (mm)

Palm (centre of Palm)

0.07 ± 0.02

Finger

0.09 ± 0.02

Physical Properties

Before Aging

After Aging

Tensile Strength (MPa)

≥ 14

≥ 14

Elongation (%)

≥ 500

≥400

Inspection Levels & AQL

Inspection Level

AQL

Air Pump Test

G1

4.0

Physical Dimensions

S2

4.0

Physical Properties

S2

4.0

Visual Inspection (Major)

G1

2.5

Visual Inspection (Minor)

G1

4.0

Particulate Residue

N = 5

≤2mg/glove



800-603-9855

info@healthtechintlinc.com

ONYX

NITRILE DISPOSABLE GLOVES,
POWDER FREE

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gm) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



REORDER CODE:-

NBR PF CW35 Black

- WZBXUS0S59085 (SIZE S)
- WZBXUS0M59092 (SIZE M)
- WZBXUS0L59108 (SIZE L)
- WZBXUSXL59115 (SIZE XL)

FEATURES

- Fingertip textured
- Powder free
- Not made with natural rubber latex
- Beaded Cuff
- Ambidextrous
- Black colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

MDR (EU) 2017/745,

STANDARDS

ASTM D6319
ASTM D6124

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Onyx

Length (mm)		
	≥230	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.07 ± 0.02	
Finger	0.09 ± 0.02	
Physical Properties		
	Before Aging	After Aging
Tensile Strength (MPa)	≥14	≥14
Elongation (%)	≥500	≥400
Inspection Levels & AQL		
	Inspection Level	AQL
Air Pump Test	G1	4.0
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0
Particulate Residue	N = 5	≤2mg/glove



800-603-9855

info@healthtechintlinc.com

ONYX PRIME

NITRILE EXAMINATION GLOVES,
POWDER FREE, BEADED CUFF

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gram) :

Extra-Small : 2.9 Small: 3.2 Medium: 3.5 Large: 3.8

Extra-Large: 4.1



Walletz4u® Onyx Prime

FEATURES

- Ambidextrous
- Finger textured
- Excellent grip
- Beaded Cuff
- Powder-Free
- Black colour

PACKAGING

100 Gloves per box

10 Boxes per carton

REGULATORY COMPLIANCE

MDR (EU) 2017/745,

STANDARDS

ASTM D6319

EN455

MANUFACTURING ACCREDITATIONS

ISO 9001:2015

ISO 13485:2016

Walletz4u® Onyx Prime		
Length (mm)	≥240	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.05 ± 0.02	
Finger	0.05 ± 0.02	
Physical Properties	Before Aging	After Aging
Tensile Strength (MPa)	≥14	≥14
Elongation At Break (%)	≥500	≥500
Inspection Levels & AQL	Inspection Level	AQL
Air Pump Test	G1	4.0
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0
Particulate Residue	N = 5	≤2mg/glove



800-603-9855

info@healthtechintlinc.com

W-NAVI

NITRILE EXAMINATION GLOVES,
POWDER FREE, BEADED CUFF

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gm) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



WNAvi PF Nitrile Exam Gloves

REORDER CODE:-

NBR PF USAW35 BB

- WNPNU0S82200 (SIZE S)
- WNPNU0M82194 (SIZE M)
- WNPNU0L82217 (SIZE L)
- WNPNU0XL82224 (SIZE XL)

FEATURES

- Fingertip textured
- Powder free
- Not made with natural rubber latex
- Beaded Cuff
- Ambidextrous
- Blue colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

FDA 510(k), MDR (EU) 2017/745,

STANDARDS

ASTM D6319
ASTM D5151, ASTM D6124,
EN455

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Length (mm)

≥230

Thickness Measurements (mm)

Palm (centre of Palm)

0.07 ± 0.02

Finger

0.09 ± 0.02

Physical Properties

Before Aging

After Aging

Tensile Strength (MPa)

≥14

≥14

Elongation (%)

≥500

≥400

Inspection Levels & AQL

Inspection Level

AQL

Watertightness

G1

1.5

Physical Dimensions

S2

4.0

Physical Properties

S2

4.0

Visual Inspection (Major)

G1

2.5

Visual Inspection (Minor)

G1

4.0

Particulate Residue

N = 5

≤2mg/glove



800-603-9855

info@healthtechintlinc.com

IOLITE

NITRILE EXAMINATION GLOVES,
POWDER FREE, BEADED CUFF

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gsm) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



REORDER CODE:-

NFAF USAW35 CB

- WZAFUSOS82279 (SIZE S)
- WZAFUSOM82255 (SIZE M)
- WZAFUSOL82286 (SIZE L)
- WZAFUSXL82293 (SIZE XL)

FEATURES

- Fingertip textured
- Powder free
- Not made with natural rubber latex
- Accelerator Free
- Beaded Cuff
- Ambidextrous
- Blue colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

FDA 510(k), MDR (EU) 2017/745,

STANDARDS

ASTM D6319
ASTM D5151, ASTM D6124,
EN455

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Iolite

Length (mm)		
	≥230	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.07 ± 0.02	
Finger	0.09 ± 0.02	
Physical Properties		
	Before Aging	After Aging
Tensile Strength (MPa)	≥14	≥14
Elongation (%)	≥500	≥400
Inspection Levels & AQL		
	Inspection Level	AQL
Watertightness	G1	1.5
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0
Particulate Residue	N = 5	≤2mg/glove



800-603-9855

info@healthtechintlinc.com

APATITE

NITRILE EXAMINATION GLOVES,
POWDER FREE, BEADED CUFF

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gm) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



MENA
Rights
Group

REORDER CODE:-

NBR PF CW35 BB

- WZAPUS0S59221 (SIZE S)
- WZAPUS0M59214 (SIZE M)
- WZAPUS0L59221 (SIZE L)
- WZAPUSXL59238 (SIZE XL)

FEATURES

- Fingertip textured
- Powder free
- Not made with natural rubber latex
- Beaded Cuff
- Ambidextrous
- Blue colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

MDR (EU) 2017/745,

STANDARDS

ASTM D6319
ASTM D6124

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Apatite

Length (mm)		
	≥230	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.07 ± 0.02	
Finger	0.09 ± 0.02	
Physical Properties		
	Before Aging	After Aging
Tensile Strength (MPa)	14	14
Elongation (%)	500	≥400
Inspection Levels & AQL		
	Inspection Level	AQL
Air Pump Test	G1	4.0
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0
Particulate Residue	N = 5	≤2mg/glove



800-603-9855

info@healthtechintlinc.com

TANZANITE

NITRILE EXAMINATION GLOVES,
POWDER FREE, BEADED CUFF

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gm) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



MENA
Rights
Group

REORDER CODE:-

NBR PF CW30 Cool Blue

- WZTNUS0S59122 (SIZE S)
- WZTNUS0M59139 (SIZE M)
- WZTNUS0L59146 (SIZE L)
- WZTNUSXL59153 (SIZE XL)

FEATURES

- Fingertip textured
- Powder free
- Not made with natural rubber latex
- Beaded Cuff
- Ambidextrous
- Cool Blue colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

MDR (EU) 2017/745,

STANDARDS

ASTM D6319
ASTM D6124

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Tanzanite

Walletz4u® Tanzanite		
Length (mm)	≥230	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.07 ± 0.02	
Finger	0.08 ± 0.02	
Physical Properties	Before Aging	After Aging
Tensile Strength (MPa)	14	14
Elongation (%)	500	≥400
Inspection Levels & AQL	Inspection Level	AQL
Air Pump Test	G1	4.0
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0
Particulate Residue	N = 5	≤2mg/glove



800-603-9855

info@healthtechintlinc.com

OPAL

LATEX DISPOSABLE GLOVES,
POWDERED

MATERIAL : Natural Rubber Latex

GLOVE WEIGHT (gm) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



MENA
Rights
Group

REORDER CODE:-

LATEX POWDERED

- WZLPUS0S82675 (SIZE S)
- WZLPUS0M82682 (SIZE M)
- WZLPUS0L82699 (SIZE L)
- WZLPUSXL82705 (SIZE XL)

FEATURES

- Smooth
- Powdered
- Made with natural rubber latex
- Beaded Cuff
- Ambidextrous
- Natural colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

FDA RULE 177-2600

STANDARDS

ASTM D3578
ASTM D6124

MANUFACTURING ACCREDITATIONS

ISO 9001:2015

Walletz4u® Opal

Walletz4u® Opal		
Length (mm)	≥240	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.10 ± 0.02	
Finger	0.11 ± 0.02	
Physical Properties	Before Aging	After Aging
Tensile Strength (MPa)	≥18	≥14
Elongation (%)	≥650	≥500
Inspection Levels & AQL	Inspection Level	AQL
Air Pump Test	G1	1.5
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0
Particulate Residue	N = 2	≤10mg/glove



800-603-9855

info@healthtechintlinc.com

PEARL

LATEX EXAMINATION GLOVES,
POWDER FREE

MATERIAL : Natural Rubber Latex

GLOVE WEIGHT (gm) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



MENA
Rights
Group

REORDER CODE:-

LATEX POWDER FREE

- WZPLUS0S82637 (SIZE S)
- WZPLUS0M82644 (SIZE M)
- WZPLUS0L82651 (SIZE L)
- WZPLUSXL82668 (SIZE XL)

FEATURES

- Smooth
- Powder Free
- Made with natural rubber latex
- Standard Cuff
- Ambidextrous
- Natural colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

European Countries: Class I
Directive MDD 42/93/EEC (USA) :
Class I with approved 21.CFR.820 FDA 510(K)

STANDARDS

ASTM D3578
ASTM D6124

MANUFACTURING ACCREDITATIONS

ISO 9001:2015

Walletz4u® Pearl

Walletz4u® Pearl		
Length (mm)	≥ 240	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.11 ± 0.02	
Finger	0.12 ± 0.02	
Physical Properties	Before Aging	After Aging
Tensile Strength (MPa)	≥ 18	≥ 14
Elongation (%)	≥ 650	≥ 500
Inspection Levels & AQL	Inspection Level	AQL
Watertightness	G1	1.5
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0
Particulate Residue	N = 5	≤ 2mg/glove



800-603-9855

info@healthtechintlinc.com

CANISTEL

THERMOPLASTIC ELASTOMER
TOP GRIP DISPOSABLE
GLOVES

MATERIAL : Polyethylene Resin & Elastomer

GLOVE WEIGHT (gm) :

Small: 3.2 **Medium:** 3.5 **Large:** 3.8 **Extra-Large:** 4.1



REORDER CODE:-

TPE GP20 CL

- WZTCUS0S82453 (SIZE S)
- WZTCUS0M82460 (SIZE M)
- WZTCUS0L82477 (SIZE L)
- WZTCUSXL82484 (SIZE XL)

TPE GP20 BB

- WZTBUS0S82538 (SIZE S)
- WZTBUS0M82545 (SIZE M)
- WZTBUS0L82552 (SIZE L)
- WZTBUSXL82569 (SIZE XL)

FEATURES

- Embossed Inside
- Powder Free
- Made with Polyethylene Paste Resin
- Standard Cuff
- Ambidextrous
- Clear & Blue colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

FDA RULE 177.1520

STANDARDS

ASTM D7329

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Cantistel

Length (mm)	≥250	
Thickness Measurements (mm)		
Palm (centre of Palm) Finger	0.035 ± 0.002	
Physical Properties	Before Aging	After Aging
Tensile Strength (MPa)	≥12	≥12
Elongation (%)	≥550	≥550
Inspection Levels & AQL	Inspection Level	AQL
Air Pump Test	G1	1.5
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0
Particulate Residue	N = 5	≤2mg/glove



800-603-9855

info@healthtechintlinc.com

FEIJOA

CAST POLYETHYLENE
DISPOSABLE GLOVES

MATERIAL : Polyethylene Resin

GLOVE WEIGHT (gm) :

Extra-Small: 2.9 Small: 3.2 Medium: 3.5 Large: 3.8



REORDER CODE:-

CPE UE16 CL

- WZCCUSXS29082 (SIZE XS)
- WZCCUSOSS82491 (SIZE S)
- WZCCUSOMS82507 (SIZE M)
- WZCCUSOL82514 (SIZE L)

CPE UE16 BB

- WZCBUSXS82583 (SIZE XS)
- WZCBUSOSS82590 (SIZE S)
- WZCBUSOM82606 (SIZE M)
- WZCBUSOL82613 (SIZE L)

FEATURES

- Embossed Outside
- Powder Free
- Made with Polyethylene Paste Resin
- Standard Cuff
- Ambidextrous
- Clear & Blue colour

PACKAGING

200 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

FDA RULE 177.1520

STANDARDS

ASTM D07-D7329

MANUFACTURING ACCREDITATIONS

ISO 9001:2015

Walletz4u® Feijoa

Walletz4u® Feijoa		
Length (mm)	≥ 265	
Thickness Measurements (mm)		
Palm (centre of Palm)		
Finger	0.025 ± 0.002	
Physical Properties	Before Aging	After Aging
Max Force At Yield, N/M	≥ 360	≥ 360
Elongation (%)	≥ 300	≥ 300
Inspection Levels & AQL	Inspection Level	AQL
Air Pump test	G1	1.5
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0



800-603-9855

info@healthtechintlinc.com

SANTOL

VINYL GLOVES, POWDER FREE

MATERIAL : Polyvinyl Chloride Paste Resin

GLOVE WEIGHT (gm) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



REORDER CODE:-

VINYL CW45 CL

- WZVYUS0S82385 (SIZE S)
- WZVYUS0M82392 (SIZE M)
- WZVYUS0L82378 (SIZE L)
- WZVYUS0XL82408 (SIZE XL)

FEATURES

- Smooth
- Powder Free
- Made with Polyvinyl Chloride Paste Resin
- Standard Cuff
- Ambidextrous
- Clear colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

FDA RULE 177.1795
FDA RULE 175.300

STANDARDS

ASTM D5250

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Santol

Length (mm)			
	≥ 230		
Thickness Measurements (mm)			
Palm (centre of Palm)	0.05 ± 0.07		
Finger	0.05 ± 0.06		
Physical Properties		Before Aging	After Aging
Tensile Strength (MPa)	≥ 11	≥ 11	
Elongation (%)	≥ 300	≥ 300	
Inspection Levels & AQL		Inspection Level	AQL
Air Pump Test	G1	1.5	
Physical Dimensions	S2	4.0	
Physical Properties	S2	4.0	
Visual Inspection (Major)	G1	2.5	
Visual Inspection (Minor)	G1	4.0	
Particulate Residue	N = 5	≤ 2mg/glove	



800-603-9855

info@healthtechintlinc.com

IXIA

DAMP DONNING NITRILE PF GLOVES

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gm) :

Small: 3.2 Medium: 3.5 Large: 3.8 Extra-Large: 4.1



MENA
Rights
Group

FEATURES

- Ambidextrous
- Finger textured
- Excellent Dry
- Beaded Cuff
- Damp Hand Donning Properties
- Blue & White colour

PACKAGING

100 Gloves per box
10 Inner per carton

REGULATORY COMPLIANCE

MDR (EU) 2017/745,

STANDARDS

ASTM D6319
EN455

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Ixia

Walletz4u® Ixia		
Length (mm)		
	≥240	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.08 ± 0.02	
Finger	0.10 ± 0.02	
Physical Properties	Before Aging	After Aging
Tensile Strength (MPa)	≥14	≥14
Elongation At Break (%)	≥500	≥400
Inspection Levels & AQL	Inspection Level	AQL
Watertightness	G1	1.5
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0
Particulate Residue	N = 5	≤2mg/glove



800-603-9855

info@healthtechintlinc.com

ZIRCON

NITRILE EXAMINATION GLOVES,
POWDER FREE, PALM TEXTURED

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (gm) :

Extra-Small : 2.9 Small: 3.2 Medium: 3.5 Large: 3.8

Extra-Large: 4.1



FEATURES

- Palm textured
- Powder free
- Beaded Cuff
- Ambidextrous
- Blue colour

PACKAGING

100 gloves per box
10 boxes per carton

REGULATORY COMPLIANCE

FDA 510(k), MDR (EU) 2017/745,

STANDARDS

ASTM D6319
EN455

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Zircon

Length (mm)		
	300 ± 10	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.10 ± 0.02	
Finger	0.14 ± 0.02	
Physical Properties	Before Aging	After Aging
Median Force at Break, N	≥6	≥6
Inspection Levels & AQL	Inspection Level	AQL
Water Tight Test	G1	1.5
Physical Dimensions	S2	4.0
Physical Properties	S2	4.0
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0
Particulate Residue	N = 5	≤2mg/glove



800-603-9855

info@healthtechintlinc.com

BLUEBELL

STERILE SURGICAL GLOVES

MATERIAL : High Performance Elastomer

GLOVE WEIGHT (gm) :

5.5 : 2.9 6.0 : 2.9 6.5 : 2.9 7.0 : 3.5 7.5 : 3.5 8.0 : 3.8
8.5 : 3.8 9.0 : 4.1



FEATURES

- Anatomical In Shape
- Hand Specific
- Smooth
- Beaded Cuff
- Polymer Coating
- Upper Layer (Light Green), Lower Layer (White)

PACKAGING

50 pouches per dispenser
8 dispensers per carton

REGULATORY COMPLIANCE

PPE Regulation (EU) 2016/425

STANDARDS

EN455

MANUFACTURING ACCREDITATIONS

ISO 13485:2016

Wallezt4u® Bluebell

Length (mm)		
	≥280	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.24 ± 0.03	
Finger	0.29 ± 0.03	
Cuff	0.15 ± 0.03	
Palm Width (mm)		
5.5	72 ± 4	
6.0	77 ± 5	
6.5	83 ± 5	
7.0	89 ± 5	
7.5	95 ± 5	
8.0	102 ± 6	
8.5	108 ± 6	
9.0	114 ± 6	
Physical Properties		
Before Aging	After Aging	
Medium Force Break (N)	≥9	≥9



800-603-9855

info@healthtechintlinc.com

LILAC

STERILE SURGICAL GLOVES

MATERIAL : High Performance Elastomer

GLOVE WEIGHT (gm) :

5.5 : 2.9 6.0 : 2.9 6.5 : 2.9 7.0 : 3.5 7.5 : 3.5 8.0 : 3.8

8.5 : 3.8 9.0 : 4.1



MENA
Rights
Group

FEATURES

- Anatomical In Shape
- Hand Specific
- Smooth
- Beaded Cuff
- Polymer Coating
- White colour

PACKAGING

50 pouches per dispenser

8 dispensers per carton

REGULATORY COMPLIANCE

PPE Regulation (EU) 2016/425

STANDARDS

ASTM D3577

EN455

MANUFACTURING ACCREDITATIONS

ISO 13485:2016

Walletz4u® Lilac

Length (mm)			
		≥280	
Thickness Measurements (mm)			
Palm (centre of Palm)		0.18 ± 0.02	
Finger		0.22 ± 0.02	
Cuff		0.17 ± 0.02	
Palm Width (mm)			
5.5		72 ± 4	
6.0		77 ± 5	
6.5		83 ± 5	
7.0		89 ± 5	
7.5		95 ± 5	
8.0		102 ± 6	
8.5		108 ± 6	
9.0		114 ± 6	
Physical Properties		Before Aging	After Aging
Tensile Strength (MPa)		≥17	≥12
Elongation At Break (%)		≥650	≥490
Stress At 500% (MPa)		≤7	
Medium Force Break (N)		≥9	≥9



800-603-9855

info@healthtechintlinc.com

ASTER

STERILE SURGICAL GLOVES

MATERIAL : High Performance Elastomer

GLOVE WEIGHT (gram) :

5.5 : 2.9 6.0 : 2.9 6.5 : 2.9 7.0 : 3.5 7.5 : 3.5 8.0 : 3.8
8.5 : 3.8 9.0 : 4.1



FEATURES

- Anatomical In Shape
- Hand Specific
- Smooth
- Beaded Cuff
- Polymer Coating
- Green colour

PACKAGING

50 pouches per dispenser
8 dispensers per carton

REGULATORY COMPLIANCE

PPE Regulation (EU) 2016/425

STANDARDS

ASTM D3577
EN455

MANUFACTURING ACCREDITATIONS

ISO 13485:2016

Walletz4u® Aster

Length (mm)			
		≥280	
Thickness Measurements (mm)			
Palm (centre of Palm)		0.14 ± 0.02	
Finger		0.19 ± 0.02	
Cuff		0.13 ± 0.02	
Palm Width (mm)			
5.5		72 ± 4	
6.0		77 ± 5	
6.5		83 ± 5	
7.0		89 ± 5	
7.5		95 ± 5	
8.0		102 ± 6	
8.5		108 ± 6	
9.0		114 ± 6	
Physical Properties		Before Aging	After Aging
Tensile Strength (MPa)		≥17	≥12
Elongation At Break (%)		≥650	≥490
Stress At 500% (MPa)		≤7	
Medium Force Break (N)		≥9	≥9



800-603-9855

info@healthtechintlinc.com

DAFFODIL

DOUBLE DONNING SURGICAL GLOVES

MATERIAL : Natural High Rubber Latex

GLOVE WEIGHT (gram) :

5.5 : 2.9 6.0 : 2.9 6.5 : 2.9 7.0 : 3.5 7.5 : 3.5 8.0 : 3.8

8.5 : 3.8 9.0 : 4.1



MENA
Rights
Group

FEATURES

- Curved finger
- Palm textured
- Powdered
- Made with Natural High Grade Rubber Latex
- Beaded Cuff
- Hand specific
- Natural, Green, Brown colour

PACKAGING

50 pouches per dispenser

8 dispensers per carton

REGULATORY COMPLIANCE

MDR (EU) 2017/745

STANDARDS

ASTM D3577

EN455

MANUFACTURING ACCREDITATIONS

ISO 9001:2015

ISO 13485:2016

Walletz4u® Daffodil

Length (mm)

≥280

Thickness Measurements (mm)

Palm (centre of Palm)

0.10 ± 0.02

Finger

0.10 ± 0.02

Cuff

0.10 ± 0.02

Palm Width (mm)

5.5

72 ± 4

6.0

77 ± 5

6.5

83 ± 5

7.0

89 ± 5

7.5

95 ± 5

8.0

102 ± 6

8.5

108 ± 6

9.0

114 ± 6

Physical Properties

Before Aging

After Aging

Tensile Strength (MPa)

≥24

≥18

Elongation At Break (%)

≥750

≥560

Medium Force Break (N)

≥9

≥9



800-603-9855

info@healthtechintlinc.com

ACACIA

DOUBLE DONNING SURGICAL GLOVES

MATERIAL : Natural High Rubber Latex

GLOVE WEIGHT (gm) :

5.5 : 2.9 6.0 : 2.9 6.5 : 2.9 7.0 : 3.5 7.5 : 3.5 8.0 : 3.8

8.5 : 3.8 9.0 : 4.1



MENA
Rights
Group

FEATURES

- Curved finger
- Palm textured
- Powder Free
- Made with Natural High Grade Rubber Latex
- Beaded Cuff
- Hand specific
- Natural, Green, Brown colour

PACKAGING

50 pouches per dispenser
8 dispensers per carton

REGULATORY COMPLIANCE

MDR (EU) 2017/745

STANDARDS

ASTM D3577
EN455

MANUFACTURING ACCREDITATIONS

ISO 9001:2015
ISO 13485:2016

Walletz4u® Acacia

Length (mm)			
	≥280		
Thickness Measurements (mm)			
Palm (centre of Palm)	0.10 ± 0.02		
Finger	0.10 ± 0.02		
Cuff	0.10 ± 0.02		
Palm Width (mm)			
5.5	72 ± 4		
6.0	77 ± 5		
6.5	83 ± 5		
7.0	89 ± 5		
7.5	95 ± 5		
8.0	102 ± 6		
8.5	108 ± 6		
9.0	114 ± 6		
Physical Properties		Before Aging	After Aging
Tensile Strength (MPa)		≥24	≥18
Elongation At Break (%)		≥750	≥560
Medium Force Break (N)		≥9	≥9



800-603-9855

info@healthtechintlinc.com

SORREL

NITRILE CLEANROOM GLOVES

MATERIAL : 100% Synthetic Nitrile Latex

GLOVE WEIGHT (grm) :

Extra-Small : 2.9 **Small:** 3.2 **Medium:** 3.5 **Large:** 3.8

Extra-Large: 4.1



MENA
Rights
Group

FEATURES

- Ambidextrous
- Palm and finger textured
- off line double chlorinated
- Made with Synthetic Nitrile Latex
- Beaded Cuff
- White & Blue colour

PACKAGING

100 Gloves per box
10 Polybags per carton

STANDARDS

ASTM D3578
ASTM D6319

MANUFACTURING ACCREDITATIONS

ISO 9001:2015

Technical Properties	Wallez4u® Sorrel	
	Class 10	Class 100
Protein Level		
Electrical Properties Resistivity (ANSI/ESD SP 15-01-2005)	1 x 10 ¹¹ ohms / square at 50% - 60% relative humidity. Customizable to 1 x 10 ⁹ ohms / square	
Total Non-volatile Residue	< 1.5 µg/cm ² (IEST-RPCC005)	< 2.5 µg/cm ² (IEST-RPCC005)
Particles Level (particles/cm ²) Particles sizes > 0.5 µm	< 800 (IEST-RPCC005)	< 1500 (IEST-RPCC005)
Extractable Content (Ionic)	Class 10	Class 100
Fluoride (F ⁻)	< 0.005 µg/cm ²	< 0.010 µg/cm ²
Chloride (Cl ⁻)	< 0.100 µg/cm ²	< 0.300 µg/cm ²
Bromide (Br ⁻)	< 0.005 µg/cm ²	< 0.050 µg/cm ²
Nitrate (NO ₃ ⁻)	< 0.100 µg/cm ²	< 0.300 µg/cm ²
Phosphate (PO ₄ ³⁻)	< 0.005 µg/cm ²	< 0.015 µg/cm ²
Sulfate (SO ₄ ²⁻)	< 0.050 µg/cm ²	< 0.050 µg/cm ²
Lithium (Li ⁺)	< 0.001 µg/cm ²	< 0.001 µg/cm ²
Sodium (Na ⁺)	< 0.050 µg/cm ²	< 0.100 µg/cm ²
Ammonium (NH ₄ ⁺)	< 0.050 µg/cm ²	< 0.100 µg/cm ²
Potassium (K ⁺)	< 0.005 µg/cm ²	< 0.100 µg/cm ²
Magnesium (Mg ²⁺)	< 0.005 µg/cm ²	< 0.010 µg/cm ²
Calcium (Ca ²⁺)	< 0.050 µg/cm ²	< 0.200 µg/cm ²



800-603-9855

info@healthtechintlinc.com

BEGONIA

LATEX CLEANROOM GLOVES

MATERIAL : Natural High Grade Rubber Latex

GLOVE WEIGHT (gram) :

Extra-Small : 2.9 **Small:** 3.2 **Medium:** 3.5 **Large:** 3.8

Extra-Large: 4.1



MENA
Rights
Group

FEATURES

- Ambidextrous
- Palm textured
- off line double chlorinated
- Made with Natural High Grade Rubber Latex
- Beaded Cuff
- Natural colour

PACKAGING

100 Gloves per box
10 Polybags per carton

STANDARDS

ASTM D3578
ASTM D6319

MANUFACTURING ACCREDITATIONS

ISO 9001:2015

Technical Properties	Walletz4u® Begonia	
	Class 100	Class 1000
Protein Level	< 50 µg/gm	< 50 µg/gm
Electrical Properties Resistivity (ANSI/ESD SP 15-01-2005)	1 x 10 ¹² ohms / square at 50% - 60% relative humidity	
Total Non-volatile Residue		
Particles Level (particles/cm ²) Particles sizes > 0.5 µm	< 1500 (IEST-RPCC005)	< 3500 (IEST-RPCC005)
Extractable Content (Ionic)	Class 100	Class 1000
Fluoride (F ⁻)	< 0.030 µg/cm ²	
Chloride (Cl ⁻)	< 2.000 µg/cm ²	
Bromide (Br ⁻)	< 0.030 µg/cm ²	
Nitrate (NO ₃ ⁻)	< 1.000 µg/cm ²	
Phosphate (PO ₄ ³⁻)	< 0.030 µg/cm ²	
Sulfate (SO ₄ ²⁻)	< 1.000 µg/cm ²	
Lithium (Li ⁺)	< 0.002 µg/cm ²	
Sodium (Na ⁺)	< 0.150 µg/cm ²	
Ammonium (NH ₄ ⁺)	< 0.150 µg/cm ²	
Potassium (K ⁺)	< 1.000 µg/cm ²	
Magnesium (Mg ²⁺)	< 0.010 µg/cm ²	
Calcium (Ca ²⁺)	< 0.200 µg/cm ²	



800-603-9855

info@healthtechintlinc.com

OTHER PPE PRODUCTS



KF94 MASK

- Black & White Colour
- Small, Medium & Large Size



OXYGEN CONCENTRATOR



DENTAL DAM

- Smooth
- Powder Free
- Made with natural rubber latex
- Made with Synthetic Polyisoprene Quality Latex



ANTIGEN TEST KIT

VEGA

VEGA PREMIUM MASK

MATERIAL : KF94



MENA Rights Group



Category	L Size	M Size	S Size
Width	127mm	125mm	106mm
Length	151mm	142mm	132mm
Ear Band	160mm ± 15	160mm ± 15	150mm ± 15
Nose-Wire	80mm	80mm	80mm



Size/Color	White	Black
Size L	WE2D-L-WH	WE2D-L-BL
Size M	WE2D-M-WH	WE2D-M-BL
Size S	WE2D-S-WH	WE2D-S-BL

FEATURES

- Black & White Colour
- Small, Medium & Large Size

PACKAGING

- 50 pieces per box
- 36 boxes per carton

800-603-9855

info@healthtechintlinc.com

LATEX DENTAL DAM

MATERIAL : Natural Rubber Latex



FEATURES

- Smooth
- Powder Free
- Made with natural rubber latex
- Black, Blue, Green, Light Blue colour

PACKAGING

- 5"x5" : 52 pieces/box, 40 boxes/carton
- 6"x6" : 36 pieces/box, 40 boxes/carton

STANDARDS

- ISO 9001:2015
- ISO 13485:2016

Regular Quadrilateral Dimension (mm)		
	127mm x 127mm (5 inch x 5 inch)	
	152mm x 152mm (6 inch x 6 inch)	
Thickness Measurements (mm)		
Thin	0.14 ± 0.02	
Medium	0.18 ± 0.02	
Heavy	0.22 ± 0.02	
Physical Properties	Specifications	
	Before Aging	After Aging (166 hours @ 70°C)
Tensile Strength (MPa)	Min 24	Min 19
Elongation at Break (%)	Min 700	Min 630




800-603-9855

info@healthtechintlinc.com

NON-LATEX DENTAL DAM

MATERIAL : Synthetic Polyisoprene Quality Latex



FEATURES

- Smooth
- Powder Free
- Made with Synthetic Polyisoprene Quality Latex
- Purple colour

PACKAGING

- 6"x6" : 36 pieces/box, 40 boxes/carton

STANDARDS

- ISO 9001:2015
- ISO 13485:2016

Regular Quadrilateral Dimension (mm)		
	152mm x 152mm (6 inch x 6 inch)	
Thickness Measurements (mm)		
Medium	0.18mm +/- 0.02mm	
Heavy	0.22mm +/- 0.02mm	
Physical Properties	Specifications	
	Before Aging	After Aging (166 hours @ 70°C)
	Tensile Strength (MPa)	Min 20
Elongation at Break (%)	Min 700	Min 600



800-603-9855

info@healthtechintlinc.com

TOP RAPID COVID 19

RAPID ANTIGEN TEST KIT



MENA Rights Group



RAPID ANTIGEN TEST KIT With Swab Screening test

1 Easy to use

2 Result in 15 min

HIGH PERFORMANCE NO CROSS REACTIVITY



99.91 % SENSITIVITY




99.51 % SPECIFICITY

ADENOVIRUS TYPE 3
ADENOVIRUS TYPE 7
HUMAN CORONAVIRUS OC43
INFLUENZA A H1N1
INFLUENZA A H3N2
INFLUENZA B
HUMAN RHINOVIRUS 2

HUMAN RHINOVIRUS 14
HUMAN RHINOVIRUS 16
MEASLES
MUMP
PARAINFLUENZA VIRUS 2
PARAINFLUENZA VIRUS 3
RESPIRATORY SYNCYTIAL VIRUS



PROCEDURE



NEGATIVE RESULT DO NOT PRECLUDE SARS-COV-2 INFECTION AND THIS SHOULD BE TREATED AS PRESUMPTIVE AND CONFIRMED WITH A MOLECULAR ASSAY, IF NECESSARY FOR PATIENT MANAGEMENT.

CURRENTLY NOT AVAILABLE IN USA

800-603-9855

info@healthtechintlinc.com

OXYGEN CONCENTRATOR



MENA
Rights
Group

Features:

- Lightweight - Only 31 Lbs
- Smaller And Sleeker
- Easy To Store And Transport
- Low Maintenance
- Quiet
- Simpler For Patients To Use And Maintain

Walletz4u® Oxygen Concentrator

Specifications	
Flow Rate	0 - 10 LPM
Purity	93 % (+ 3%)
Outlet Pressure	0.04 – 0.07 MPA (6 -10 PSI)
Sound Level	< 50 db
Power Consumption	< 880 W
LCD Display	Switch Times Operating Pressure Present Working Time Accumulated Working Time Presetting time : 10mins to 40 hrs
Alarm	Power Failure Alarm High & Low Pressure Alarm
Weight	27 Kg
Dimensions	365 x 375 x 600 mm

800-603-9855

info@healthtechintlinc.com

Walletz ®



NORTH AMERICAN BRAND PARTNER:



Healthtech® International, Inc.

4161 Chamblee Road

Oakwood, GA 30566

TEL : 800-603-9855

EMAIL: info@healthtechintlinc.com

WEBSITE: www.healthtechintlinc.com

